



PUNJAB POLLUTION CONTROL BOARD
Zonal Office-I, Ludhiana

Website:- www.ppcb.gov.in

Industry ID:R12LDH349157

Date :01/01/2016

Application No :3394854

To

M/s Prime steel processors
V.p.o.jandiali, budhewal road, chandigarh road ludhiana
Ludhiana east
141112
Tehsil: Ludhiana east
District: Ludhiana i

Subject:- Renewal of consent to Operate an outlet u/s 25/26 of Water(Prevention & Control of Pollution)Act, 1974 for discharge of effluent.

With reference to your application for consent to operate an outlet for discharge of the effluent u/s 25/26 of Water(Prevention & Control of Pollution)Act, 1974, you are, hereby, authorized by the Board to discharge the effluent(s) arising out of your premises at V.p.o.jandiali, budhewal road, chandigarh road ludhiana subject to the following conditions:

A. Particulars of the Industry

Name of the Applicant	Prime steel processors			
Address of industrial premises	V.p.o.jandiali, budhewal road, chandigarh road ludhiana			
Capital investment of the industry	888.16 lakhs			
Scale of the industry	Medium			
Office District	Ludhiana i			
Consent Fee Details				
Bank Name	Branch Name	Draft No./Money Receipt No.	Date	Rupees
Already deposited	Ludhiana	549038	24/08/2015	54000.0
Raw Materials,name with quantity per day		STEEL INGOTS & BILLETS @158.7 Metric Tonnes/Day		

Products with quantity per day	ROUNDS,BARS,FLATS,STRUCTURE STEEL @ 150 Metric Tonnes/Day
By-Products, if any, with quantity per day	Nil
Details of the machinery and processes	Raw Material -> Reheating in furnace -> Rolling -> Ready for cooling -> Dispatch.
Details of the Effluent Treatment Plant	Domestic Effluent @2.0 KLD
Mode of Disposal	Onto land for plantation after septic tank
Standards to be achieved	As prescribed by the Board

B. Particulars of Consent to Operate granted to the industry

No.R16LDH1CTOW3394854	Date of issue :01/01/2016
	Date of expiry :31/03/2020

C. Main Conditions:

D. General Conditions:

1. The consent is issued for the discharge of effluents as per details given below from the premises of the industry through the out-let (s) authorized by the Board:

- i) Trade Effluent : Nil
- ii) Domestic effluent @ 2 KLD onto land for plantation after septic tank.
- iii) Cooling water @ 10 KLD (Recirculation).

2. This consent is not valid for getting any power load from the P.S.P.C.Ltd., or for getting load from the financial institutions.

3. The effluent discharged through the authorized outlet shall conform to the standards prescribed by the Board as per Board's Notification issued from time to time for such discharges onto land for plantation.

4. The entire cooling water generated by the industry shall be re-circulated. The industry shall not discharge any cooling water without the prior written permission of the Board.

5. i) The industry shall apply for renewal of consent well before expiry of the consent.

ii) The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.

iii) The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural water course.

iv) Nothing in this consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected

under this or any other Act.

v) During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.

6. The industry shall discharge only domestic effluents. It shall not generate & discharge any trade effluent without the prior written permission of the Board.

7. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/ revisions.

8. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.

9. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets shall be connected to the authorized outlet within one month from the date of issue of this consent.

10. The industry shall not change or alter the manufacturing process (es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.

11. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards laid down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board, Regional Office, Ludhiana under intimation to the Board failing which any stoppage and upset conditions that come to the notice of the Board/ its officers, will be deemed to be intentional violation of the conditions of consent.

12. All under ground water retaining structures shall be lined with an impervious layer so as to avoid seepage and contamination of sub-soil/water.

13. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.

14. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board, Regional Office, Ludhiana.

15. Solids, sludges, dirt silt or other pollutants separated from or resulting from treatment of in take of supply water prior to use by the applicant shall be disposed off in such a manner so as to prevent any pollutant from such materials from entering any such water. Any live fish, shell fish or animals collected or trapped as a result of intake water screening or treatment may be returned to water body habitat.

16. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.

(i) Where unavoidable to prevent loss of life or some property damage or

(ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass in accordance with the procedure specified above for

17. Solids, sludges, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner as to prevent from any pollutants from such materials from entering natural water.

18. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises.

19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
20. The industry shall not irrigate the vegetables, crops with the treated effluent which are used/consumed as raw.
21. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of recirculation system.
22. The industry shall put up display board indicating environment data as per prescribed performata at the main gate of the industry.
23. The industry shall install water meter on the tubewell so as to file water cess returns under the Water (Prevention & Control of Pollution) Cess Act, 1977.
24. The Board reserves the right to revoke this 'consent to operate' granted to the industry in case the industry is found violating any of the conditions of this consent and/or the provisions of the Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.

Environmental Engineer

“ This is computer generated document from OCMMS by PPCB ”